



SIMPLICITY

FLOOR WALL/FLOOR CEILING MOUNTED TUBE STAND SYSTEM



Flexible and affordable



The AMRAD Medical **SIMPLICITY** FW/FC (floor-wall/floor-ceiling tube mount) System is a compact configuration designed for medical imaging centers and urgent care facilities looking to maximize space and minimize room modifications. It features a floor rail and an upper rail that can mount to the wall or ceiling to accommodate longitudinal travel for quick and accurate positioning.

The simple, yet rugged design makes this an affordable radiographic system built for longevity and performance making it an ideal choice for lower volume facilities.





RADIOGRAPHIC TABLE

The four-way float top table allows for comfortable and easy patient transfer with it's 31" table height and a 400 lb. rated patient load.

The recessed foot-treadle allows for hands-free table operation as well as patient safety.



WALL STAND

Designed for flexibility, the **SIMPLICITY'S** wall stand has a maximum vertical travel range of $72\frac{3}{4}$ " and can go as low as $9\frac{3}{4}$ " for weight-bearing exams like standing knees.

The one-touch release handle allows for easy positioning of the wall receptor.

PERFORM A FULL RANGE OF EXAMS!

- √ Table Exams
- ✓ Upright Chest
- ✓ Extremities
- √ Weight Bearing Studies



Specifications

Radiographic Table (S210)

Non-Elevating, Four-Way Float Top Table

- Foot treadle operation of table top and height movements
- · 400 lb. rated patient load
- +/- 5 in. transverse travel, 28 in. longitudinal travel
- 84 in. x 30 in. table top, table height 31.5 in.
- 17 in. grid cabinet
- Grid: 10:1 ratio, 103 LPI
- Heavy-duty deluxe cassette tray

Tube Stand (S225)

Floor-to-Wall/Floor-to-Ceiling Mounted Tube Stand

- Transverse tubearm +/- 5 in., platform tube mount
- Rotational base, +/- 360° with 90° detents
- · Fixed length angulating tube arm
- · Easy to read angulation dial
- Vertical travel: 13.5" minimum to 76.8" maximum (focal spot to floor)
- Electric locks: vertical, horizontal, and tube arm angulation, all locks release
- Fully counterbalanced
- 8' floor rail; optional 10' available
- Operates on 24VDC powered by Nexus box

Wall Stand (S109)

Wall-mounted (17 in. x 17 in.)

- Fully counterbalanced
- 17 in. grid cabinet with front panel travels from floor to 76 in.
- · Grid: 10:1 ratio, 103 LPI, specify focal range
- · Specify left or right load
- Heavy-duty deluxe cassette tray 06338
- · Electric locks
- · Operates on 24VDC



All AMRAD Medical systems are DR compatible.

Ask about our fixed and wireless DR packages with user friendly acqusition and processing software options and hi-resolution detectors like our 100 micron Amorphous Silicon (a-Si) TFT Csl (Cesium lodide) detector.



SUMMIT INDUSTRIES A NETWORK OF SERVICE & SUPPORT

Summit Industries' successful service network surrounds you with a dynamic team of exceptional experts. Your organization and your patients will benefit from the experience and best practices that only Summit Industries and their Authorized Dealer Network can offer.

PIONEERS IN RADIOLOGY SINCE 1984



LITR033-0325



